METIS M.2 CARD

The most performant M.2 Edge Al Accelerator













Retail









∟ _ _ Utilities









AXELERA AI'S M.2 CARD, POWERED BY METIS AIPU, IS PERFECT FOR CONSTRAINED DEVICES THAT REQUIRE HIGH PERFORMANCE AI INFERENCE.

¢ 🖡 🕻

M

METIS M.2 - KEY FEATURES

- High performance M.2 card feature Metis AIPU to enable state-of-theart AI inference in small footprint devices.
- A single board can run inference on multiple cameras as well as support many independent parallel neural networks.
- A wide range of end-to-end Al pipelines and models are available out of the box.
- Hassle free evaluation and software integration thanks to Voyager SDK.
- Uncompromised prediction accuracy thanks to advanced quantization tools.

KEY TECHNICAL SPECIFICATIONS

Form Factor	M.2 2280 M-key
Host Interface	PCle Gen3 x4 - 4 GB/s bidirectional
AIPU (AI Processing Unit)	1x Metis AIPU
AIPU Memory	1 GB DRAM
Peak INT8 TOPS	214
Operating temperature	-20 to +70°C
Thermal solution	Optional standalone active cooling
Typical Application Power	3.5-9 W
Security Features	Secure Boot, Root of Trust

PROVEN IN KEY MARKETS

Companies in multiple market segments have already adopted Metis M.2-based Al acceleration for different applications such as:



Surveillance: provide multicamera Al processing

capabilities in small form factors for easy deployment in shops, building sites, factories, venues.



Robotics: enable advanced cooperation between human and robots thanks to high resolution advanced gesture recognition, pose estimation and human intention decoding.



Medical: improve accuracy of real time diagnostics, monitoring, imaging and analysis.



Agritech: enhance precision in agricultural practices with crop analysis, smart irrigation/pest control, automated harvesting.



Drones: deliver real-time video processing for navigation, object detection and surveillance in lightweight, battery-powered UAV systems.

PERFORMANCE BENCHMARK (FPS). HIGHER IS BETTER



EASY TO INTEGRATE

Axelera Al's Metis M.2 card integrates seamlessly with host CPUs based on both x86 and ARM architectures. Our team actively tests different systems from vendors such as Dell, Lenovo, Advantech and Aetina.




Thanks to Voyager Software Development Kit (SDK), users have a simple software integration path for Al inference at the edge:


- Great out-of-the-box experience: The SDK's built-in tools and models allow evaluating Metis performance, accuracy and power consumption in a few minutes.
- Fast end-to-end integration path: The SDK provides a high-level pipeline description framework that allows building optimized end-to-end Al applications with custom inputs, datasets, models and business logic with very few lines of code.
- Low-level knobs and APIs: For users that have their own pipelines and software infrastructure, the SDK includes low-level APIs to directly control the inference hardware.

Voyager is a simple yet feature rich SDK:

- Large Model Zoo supporting, among others:
- Image classification (ResNet-50, MobileNetv2/v4),
- Object detection (MobileNetv2/v4-SSD, Yolov5/v5/v6/v7/v8/v9),
- Segmentation (DeepLabv3, Yolov8-seg, U-net),
 Pose estimation (Yolov8-pose)
- Compiler support for models from Pytorch and ONNX. The compiler automatically manages quantization and graph optimization without user intervention and achieves optimal performance and accuracy.



- Libraries including all pre- and post-processing required to run end-to-end pipelines: scaling; cropping; normalization; format conversion; nonmaximal suppression (NMS) and more.
- The Voyager SDK allows you to develop inferencing pipelines and end-user applications at different levels of abstraction. It also includes plugins to integrate within a GStreamer pipeline.
- Built-in tools to test accuracy and performance of models running on Metis AIPU.





Ordering information To order the M.2 AI Edge Accelerator Module, please visit: https://store.axelera.ai/products/



Part Number: AXE-BME20M1AM01A02 Description: Metis AI Accelerator M.2 Card with 1x AIPU, 1 GB of RAM and active cooling, Rev1.1

Part Number: AXE-BME20M1AR01B02 Description: Metis Al Accelerator M.2 Card with 1x AIPU, 1 GB of RAM and no cooling, Rev1.1